




DREAM ENERGY

The Future Is Here

BUSINESS CATALOGUE



www.dreamenergybd.com
dream.energy@yahoo.com



DREAM ENERGY is a company started by young entrepreneurs with a passion for technology. We provide end to end solutions in the field of Lighting and Electrical, information and Communication Technologies.

We are a leading corporate solution firm equipped with a proactive work force that offers a diver's spectrum of service like led lighting solution, Electrical Wearing solution. IT Solution, Safety and security solution, PABX and PA System Solution, Sales and service of all IT Hardware and components.

Our innovative solutions are designed for both commercial and business enterprise as well as all type business.

MISSION

Our Mission is to achieve the reputation of a quality, high standard & reliable solution & service Provider Company in the Electrical and Electronics industry.

VISION

Our Vision is to achieve 100% customer satisfaction by delivering quality products and services at an affordable cost. Our forward vision is to strive to become an entity in technology based corporate solutions, capable of demanding unconditional response from the targeted niche. We also believe that for our scope of improvisation sky is the limit and we are always ready to take our achievements to the next level. We are growing and would always like to remain on the growing streak.

- Promotion of led light to reach the bottom of the society.
- Cost effective lighting solution and energy efficient technology development through proper utilization of renewable energy & energy efficient technology .
- R & D to produce renewable energy and energy efficient product.
- Provide quality backup service too.

FOR ONLINE BUY VISIT



LIGHTING MART
Click Buy Save



Lighting Mart



01958023900



lightingmartbd




www.lightingmart.com.bd

OUR SERVICE

- All kind of LED Lighting Solution
- CCTV and Security Solution
- PABX and Intercom Solution
- Sound and PA System Solution
- Time Attendance and Access Control
- Network Solution
- Solar System and Solar Street Light
- Busbar Trunking System
- Lighting Protection System (LPS)
- Switch Socket and Accessories





TECHNICAL SPECIFICATION

Nominated Rated Voltage	AC 85 ~ 265V
Output Voltage	DC 36- 42V
Luminous Efficiency	136 Lm/Watt
Lumens Maintenance	98% Up to 5,000 Hour
Efficiency of the Driver Circuit	>90%
Colour of Light Output	Natural White
Number of SMD Module / Chip	44, 96, 108, 120, 144, 160
Input Current Variation	220V
Driver	Isolated and Non Isolated
Power Factor	0.97
Beam Angle	150 Degrees
CRI	70 - 90
THD	<7%
IP Rating	IP 54
Frequency	50 - 60 Hz
Colour Temperature	2700K- 6500K
Materials	Aluminium, PC Diffuser
Life Time	50,000Hr
Operation Temperature	-20 ~ 45°C
Storage Temperature	20 ~ 30°C
Warranty	1 Year, 2 Years, 3 Years

LED Round Tube

DEPT1101: 9W to 28W

LED T8 Flat / Integrated Tube

DEFT1102: 9W to 28W

LED T5 Flat / Integrated Tube

DEFT1103: 3W to 20W

T8 to T5 Rotating Tube

DEPT1106: 18W to 24W

LED T8 PC Tube


DEPT1105: 9W to 24W

LED T8 Glass Tube

DEGT1104: 9W to 24W

LED PC T5 Flat/Integrated Tube

DEPT51107: 5W to 20W



TECHNICAL SPECIFICATION

Nominated Rated Voltage	AC 85 ~ 265V
Output Voltage	DC 36- 42V
Luminous Efficiency	100 Lm/Watt
Lumens Maintenance	98% Up to 5,000 Hour
Efficiency of the Driver Circuit	>90%
Colour of Light Output	Natural White, Warm White
Number of SMD Module / Chip	5, 7, 10, 15, 20, 30, 40, 50, 70, 100
Input Current Variation	220V
Driver	Isolated and Non-Isolated
Power Factor	0.6 - 0.9
Beam Angle	150 Degrees
CRI	80
THD	<7%
IP Rating	IP 54
Frequency	50 - 60 Hz
Colour Temperature	2700K- 6500K
Materials	Aluminium, PC Diffuser
Life Time	36,000Hr
Operation Temperature	-20 ~ 45°C
Storage Temperature	20 ~ 30°C
Warranty	2 Years



LED A Series Bulb
DEAB1201: 5W to 18W



LED T Series Bulb
DETB1202: 20W to 50W



LED UFO Series Bulb
DEUB1203: 30W to 100W




LED High Power Bulb
DEHPB11206: 50W / 100W



LED Rechargeable Series Bulb
DERB1205: 9W to 18W




LED Mushroom Series Bulb
DEMB1204: 50W / 100W



TECHNICAL SPECIFICATION

Nominated Rated Voltage	AC 85 ~ 265V
Output Voltage	DC 36- 42V
Luminous Efficiency	136 Lm/Watt
Lumens Maintenance	98% Up to 10,000 Hour
Efficiency of the Driver Circuit	>90%
Colour of Light Output	Natural White
Number of SMD Module / Chip	96, 108, 120, 144, 160, 240, 244, 320
Input Current Variation	220V
Driver	Isolated and Non Isolated
Power Factor	0.97
Beam Angle	150 Degrees
CRI	80
THD	<7%
IP Rating	IP 54
Frequency	50 - 60 Hz
Colour Temperature	2700K- 6500K
Materials	Aluminium, PC Diffuser
Life Time	50,000Hr
Operation Temperature	-20 ~ 45°C
Storage Temperature	20 ~ 30°C
Warranty	2 Years



LED T8 Aluminum Fixed Double Shade
DEADS1301: 36W to 56W



LED T8 Aluminum Fixed Single Shade
DEASS1302: 9W to 28W



LED T5 Aluminum Fixed Double Shade
DEADS1303: 36W to 56W




LED Square Body Cata Shade
DESC1305: 60W



LED Cata Shade
DECS1305: 10W to 40W



LED T5 Aluminum Fixed Single Shade
DEASS1304: 9W to 28W



TECHNICAL SPECIFICATION

Nominated Rated Voltage	AC 85 ~ 265V
Output Voltage	DC 36- 42V
Luminous Efficiency	120 Lm/Watt
Lumens Maintenance	98% Up to 5,000 Hour
Efficiency of the Driver Circuit	>90%
Colour of Light Output	Natural White
LED Type	COB and SMD
Input Current Variation	220V
Driver	Isolated and Non Isolated
Power Factor	0.97
Beam Angle	150 Degrees
CRI	80
THD	<7%
IP Rating	IP 65, IP 66, IP 67
Frequency	50 - 60 Hz
Colour Temperature	2700K- 6500K
Materials	Diacasting
Life Time	50,000Hr
Operation Temperature	-20 ~ 55°C
Storage Temperature	20 ~ 40°C
Warranty	2 Years



LED Flood Light, 5054
DEFL1401: 10W to 400W



LED Flood Light , E Model
DEFL1402: 50W to 300W



LED COB Flood Light
DEFL1403: 50W to 400W



LED COB Cup Body Flood Light
DEFL1406: 50W to 400W



LED Rechargeable Flood Light
DEFL1405: 20W to 50W



LED Flood Light Slim
DEFL1404: 10W to 100W



Low fever, high brightness,
lamp bead

High light transmittance
glass lens 252

Best heat dissipation
aluminum body

Light safety,
led driver boxes

High power factor,
better stability driver



TECHNICAL SPECIFICATION

Nominated Rated Voltage	AC 85 ~ 265V
Output Voltage	DC 36- 42V
Luminous Efficiency	120 Lm/Watt
Lumens Maintenance	98% Up to 5,000 Hour
Efficiency of the Driver Circuit	>90%
Colour of Light Output	Natural White
LED Type	COB and SMD
Input Current Variation	220V
Driver	Isolated and Non Isolated
Power Factor	0.97
Beam Angle	150 Degrees
CRI	80
THD	<7%
IP Rating	IP 65, IP 66, IP 67
Frequency	50 - 60 Hz
Colour Temperature	2700K- 6500K
Materials	Dicasting
Life Time	50,000Hr
Operation Temperature	-20 ~ 55°C
Storage Temperature	20 ~ 40°C
Warranty	2 Years



LED Street Light COB Type
DESL1501: 10W to 200W



LED Street Light Racket Type
DESL1502: 50W to 200W




LED Street Light Regular SMD Type
DESL1503: 20W to 200W



All in One Solar Street Light
DEFL1506: 10W to 30W



LED Solar Street Light SMD Type
DEFL1505: 15W to 30W



LED Street Light High Power SMD Type
DEFL1504: 50W to 200W



TECHNICAL SPECIFICATION

Nominated Rated Voltage	AC 85 ~ 265V
Output Voltage	DC 36- 42V
Luminous Efficiency	140 Lm/Watt
Lumens Maintenance	98% Up to 5,000 Hour
Efficiency of the Driver Circuit	>90%
Colour of Light Output	Natural White
LED Type	COB and SMD
Input Current Variation	220V
Driver	Isolated and Non Isolated
Power Factor	0.97
Beam Angle	150 Degrees
CRI	80
THD	<10%
IP Rating	IP 54, IP 65
Frequency	50 - 60 Hz
Colour Temperature	2700K- 6500K
Materials	Diacasting
Life Time	50,000Hr
Operation Temperature	-20 ~ 55°C
Storage Temperature	20 ~ 40°C
Warranty	2 Years



LED COB Type High Bay Light
DEHL1601: 100W to 200W



LED SMD Type High Bay Light
DEHL1602 : 100W to 200W



LED High Focus Light
DEHL1603: 100W to 400W




LED Low Bay Light
DELBL1606: 50W to 100W



LED UFO High Bay Light
DEHL1605: 80W to 200W



LED IP65 High Bay Light
DEHL1604: 50W to 300W



TECHNICAL SPECIFICATION


Nominated Rated Voltage	AC 85 ~ 265V
Output Voltage	DC 36- 42V
Luminous Efficiency	90 - 136 Lm/Watt
Lumens Maintenance	98% Up to 5,000 Hour
Efficiency of the Driver Circuit	>90%
Colour of Light Output	Natural White
LED Type	SMD
Input Current Variation	220V
Driver	Isolated and Non Isolated
Power Factor	0.6 - 0.97
Beam Angle	180 Degrees
CRI	80
THD	<5%
IP Rating	IP 54
Frequency	50 - 60 Hz
Colour Temperature	2700K- 6500K
Materials	Diacasting
Life Time	36,000Hr
Operation Temperature	-20 ~ 55°C
Storage Temperature	20 ~ 40°C
Warranty	2 Years



LED Surface and Conceal Panel Light
DEPL1701: 36W to 60W



LED Backlit Conceal Panel Light
DEBPL1701: 36W to 60W



LED Regular Surface Panel Light
DEPL1702: 3W to 24W




LED Colorful Surface and Conceal Panel
DEPL1706: 3W to 24W



LED Adjustable Conceal Panel Light
DEAPL1705: 15W



LED Regular Conceal Panel Light
DEPL1703: 3W to 24W



TECHNICAL SPECIFICATION

Nominated Rated Voltage	AC 85 ~ 265V
Output Voltage	DC 36- 42V
Luminous Efficiency	136 Lm/Watt
Lumens Maintenance	98% Up to 10,000 Hour
Efficiency of the Driver Circuit	>90%
Colour of Light Output	Natural White
Number of SMD Module / Chip	96, 108, 120, 144, 160, 240, 244, 320
Input Current Variation	220V
Driver	Isolated and Non Isolated
Power Factor	0.97
Beam Angle	150 Degrees
CRI	80
THD	<7%
IP Rating	IP 54
Frequency	50 - 60 Hz
Colour Temperature	2700K- 6500K
Materials	Aluminium, PC Diffuser
Life Time	50,000Hr
Operation Temperature	-20 ~ 45°C
Storage Temperature	20 ~ 30°C
Warranty	2 Years

LED Hanging Linear Shade
DEHLS1804: Length-2FT, 4FT Wide: 4Inch


LED Hanging Linear Shade
DEHLS1804: Length-2FT, 4FT Wide: 2Inch

Conference Room Linear Shade
DEHLS1804: Length-6FT, 8FT Wide: 4 & 2Inch





LED Profile Light
DEPL 1804

Square Hanging Linear Shade
DEHLS1804: 4FT/4FT, 8FT/4FT

Conference Room Linear Shade
DEHLS1804: Length-10FT, 12FT Wide: 4 & 2Inch



Track & Surface Light



LED Spot And Down Light



Wall Bracket & Chandilier Light



Wall Bracket Light
DEWB 2401



Wall Bracket Light
DEWB 2402



Chandilier Light
DECHL 3001



Chandilier Light
DECHL 3002



Wall Bracket Light
DEWB 2405



Wall Bracket Light
DEWB 2406



Chandilier Light
DECHL 3003



Chandilier Light
DECHL 3004



Wall Bracket Light



Wall Bracket Light



Chandilier Light
DECHL 3005



Chandilier Light
DECHL 3006

Basin & Mirror Light



Mirror Light
DEML 2201



Mirror Light
DEML 2202



Mirror Light
DEML 2203



Basin Light
DEBL 2204



Basin Light
DEBL 2205



Basin Light
DEBL 2206



Basin Light
DEBL 2207



Basin Light
DEBL 2208




LED Spotlight
DEBL 2209



Basin Light
DEBL 2210



Basin Light
DEBL 2211



Basin Light
DEBL 2212

Underwater & Foot Light



Underwater Light
DEUW 2101



Underwater Light
DEUW 2102



Underwater Light
DEUW 2103




Underwater Light
DEUW 2104



Underwater Light
DEUW 2105



Underwater Light
DEUW 2106



Underwater Light
DEUW 2107



Foot Light
DEUW 2108



Foot Light
DEUW 2109



Foot Light
DEUW 2110



Foot Light
DEUW 2111



Foot Light
DEUW 2112

Garden Light



Garden Light
DEGL 2013



Garden Light
DEGL 2014



Garden Light
DEGL 2015



Garden Light
DEGL 2016



Garden Light
DEGL 2017



Garden Light
DEGL 2018



Garden Light
DEGL 2019



Garden Light
DEGL 2020



Garden Light
DEGL 2021



Garden Light
DEGL 2022



Garden Light
DEGL 2023



Garden Light
DEGL 2024

Boundary Light



Gate Light
DEGL 2001



Gate Light
DEGL 2002



Gate Light
DEGL 2003



Gate Light
DEGL 2004



Gate Light
DEGL 2005



Gate Light
DEGL 2006



Gate Light
DEGL 2007



Gate Light
DEGL 2008



Gate Light
DEGL 2009



Gate Light
DEGL 2010




Gate Light
DEGL 2011



Gate Light
DEGL 2012

Solar System



Solar Panel
10W to 400W



DC Bulb
3W / 5W



DC Tube
3W / 5W



**Offgrid and ongrid
inveter**



**Solar charge
Controller**



**All in All
Solar Street Light**



Solar Street Light
DE2901



Solar Street Light
DE2902



Solar Street Light
DE2903



Solar Street Light
DE2904



Solar Pumping System



DC FAN

Industrial QC Light



Verivide Light Box
DEQC 1801



LED D65
DEQC 1802



PHILIPS D65
DEQC 1803



VERIVIDE D65
DEQC 1804



NORVA UV
DEQC 1805



PHILIPS UV
DEQC 1806



PHILIPS TL84
DEQC 1807



PHILIPS TL83
DEQC 1808



PHILIPS U30
DEQC 1809



NARVA D65
DEQC 1810



NARVA Medical UV
DEQC 1811



LED U30
DEQC 1812

Others Light & Accessories



Fog Light
DEF 3101



Pest Killer
DEF 3102



Stage Light
DEF 3103



Warning Lamp
DEE 3104



Exit Light
DEE 3105



Sign Light
DEE 3106




Exit Light
DEE 3107



Strip Light
DEW 3108



Tube Light Chips
DEL3 3109



50W Chips
DELC 3110



50W Driver
DELD 3111



Tube Light Driver
DELD 3112

Switch - Sockets



1-Gang-1-Way-Switch
DESW 3201



2-Gang-1-Way-Switch
DESW 3202



3-Gang-1-Way-Switch
DESW 3203



13A-Multi-Switch-Socket
DESW 3204



1-Gang-1-Way-Switch
DESW 3205



2-Gang-1-Way-Switch
DESW 3206



3-Gang-1-Way-Switch
DESW 3207



13A-Switch-Socket
DESW 3208



1-Gang-1-Way-Switch
DESW 3209



2-Gang-1-Way-Switch
DESW 3210



3-Gang-1-Way-Switch
DESW 3211



6 Pin-Multi-Switch-Socket
DESW 3212



1-Gang-1-Way-Switch
DESO 3213



2-Gang-1-Way-Switch
DESO 3214



3-Gang-1-Way-Switch
DESO 3215



5 Pin-Multi-Switch-Socket
DESO 3216



1-Gang-1-Way-Switch
DESO 3217



2-Gang-1-Way-Switch
DESO 3218



3-Gang-1-Way-Switch
DESO 3219



5 Pin-Multi-Switch-Socket
DESO 3220

Electical Circuit Breaker



Circuit Breaker-1
DECB 3221



Circuit Breaker-2
DECB 3222



Circuit Breaker-3
DECB 3223



Circuit Breaker-4
DECB 3224



PROTECT YOUR AREA

DREAM ENERGY is an installation and service company with 5 years of experience in the design, engineering, assembly and maintenance of security automation sector. These systems include **HD CCTV, IP Camera, Access Control, Time Attendance, IP PBX, PA system, Fire Safety Solution, and Water Solution**. We are a team of dedicated professionals who can install and system from the very basic to the most complex.

Our customer base includes commercial and residential buildings, government facilities, distribution centers, industrial complexes, schools, restaurants, banks, hotels and retail stores.

At present we are marketing of following world famous company for the Bangladesh territory:

1. Dahua Technology Co., Ltd
2. AVTECH of Taiwan for all types of HD CCTV | IP Camera Solutions
3. Hikvision Digital Technology Co., Ltd. – HD CCTV | IP Camera Solutions
4. ZKTeco – Access Control | Time Attendance Solutions
5. HUNDURE Technology Co.Taiwan – Access Control | Time Attendance Solutions

PA SYSTEM SOLUTION

At Prest we are marketing of following world famous company for the Bangladesh territory

1. AHUJA RADIOS
2. TOA Speaker
3. Bose / PA Systems / Stage & Sound Equipment
4. HTDZ Conference System



DREAM is One of The Business Telecom System Dealer of Panasonic Equipments. DREAM Provide the solution of Hybrid PABX Like KX-TES824, KX-TDA100, KX-TDA100D, KX-TDA200, KX-TDA600. DREAM also Provide the best solution of IP PBX System in Bangladesh. The Products Solution we provide for IP PBX System is one of world's best Panasonic Brand. Model: KX-TDE100, KX-TDA200, KX-TDE600. For an Organization/Enterprise we provide installation, configuration & Commissioning Service.

1. Hybrid PABX System
2. KX-TES824/TA824 (1-8 Co. Line 8 to 24 Ext Line.)
3. IKE Intercom and Others China Brand PBX
4. Panasonic Hybrid/ IP-PABX System
5. KX-TDA100, KX-TDA100D, KX-TDA200, KX-TDA600
6. KX-TDE100, KX-TDE200, KX-TDE600




IP PABX is Now a Days the Required Solution for Large Corporate in Bangladesh, Where Central Office Can Control the Communication Over the Network to Branch Office Within Their Existing Network Infrastructure and Save a Lots Of Cost Of Business Communication Solution. The Initial Set Up Cost for IP PABX Solution Can be the High but the Overall Business Cost Will Minimized in Long Run. DREAM Offer The Panasonic NS Series IP PBX Complete Solution Offer in Bangladesh.

Data Network, Network Equipment, LAN WAN Networking Service

DREAM Have Professional Certified Network Engineer of Cisco, MikroTik and Network Security. For Ensure Secure LAN and Data Network Environment. Secure Data Network Service is not a easy Task now a Days. A Converge network in a network idea where a Voice, Data, Video and Real-time Application Data Transmission Occurred. A Voice, Video and Real-time Application Data Should be Transmitted in its Priority. also, In Enterprise Level Data Network Environment There Should be A Plan for Redundancy at Switching, Routing and Service Level. Modern Enterprise Worked Environment is

Network Service

1. LAN Cabling
2. Switching, Router, Rack, Accessories, Deliver & Installation
3. Configuration
4. Troubleshooting
5. Testing....



Enterprise Network Service & Support

Your Enterprise Network Wireless Communications, Data Cabling (CAT6A), Fiber Optics (Single and Multimode), Switches and Routers (Mikrotik, Cisco, and Basic Wi-Fi Router) as Well as IP Phone Systems a Enterprise Data Network Structure...DREAM BD Systems are Beside you from Network Cabling to Switch ,Router Installation and Configuration and Well as Support.



DREAM ENERGY

The Future Is Here

FOR ONLINE BUY AND MORE DETAILS

Contact No : +8801796632145, +8801958023901

Visit Us : www.lightingmart.com.bd

HEAD OFFICE ADDRESS

House: 01, Road: 01, Post office Road
Pallabi, Mirpur, Dhaka-1216

FACTORY ADDRESS

House: D-26, Main Road, Eastern Housing
2nd Project, Mirpur, Dhaka-1216